


Fireframes® Hardwood Series

20/45 Minute Door

Architectural Specification Manual



STAND ALONE DOOR FRAME
SINGLE OR PAIR OF DOORS

*TBS = DIMENSION TO BE SPECIFIED


Hardwood Series-20 Minute

DOOR FRAMING	MAX. SINGLE
RATING	DOOR LEAF SIZE
20 MINUTES	48" X 108"

* 20 MINUTE RATED BORROWED LITES AND STAND ALONE RELITES ALLOWED IN NEGATIVE PRESSURE JURISDICTIONS ONLY

45 MINUTE REQUIRED OTHERWISE

** EXPOSED GLASS WIDTH AND HEIGHT WILL BE 1-1/2" LESS THAN WINDOW OPENING AFTER STOPS ARE APPLIED



STAND ALONE DOOR FRAME
SINGLE OR PAIR OF DOORS

*TBS = DIMENSION TO BE SPECIFIED

Hardwood Series-45 Minute

DOOR FRAMING	MAX. SINGLE
RATING	DOOR LEAF SIZE
45 MINUTES	36" X 108"

* FOR NON-SAFETY RATED APPLICATIONS ONLY

** EXPOSED GLASS WIDTH AND HEIGHT WILL BE 1-1/2" LESS THAN WINDOW OPENING AFTER STOPS ARE APPLIED

In accordance with California Prop 65, products received from TGP may contain the required warning label (below) indicating that they may contain door hardware or other components known to cause cancer and reproductive harm.

For more information go to www.P65Warnings.ca.gov.

In accordance with California PROP65 -
⚠️ **WARNING:** Cancer and Reproductive Harm-www.P65Warnings.ca.gov
⚠️ **ADVERTENCIA:** Cáncer y Daño Reproductivo-www.P65Warnings.ca.gov
⚠️ **AVERTISSEMENT:** Cancer et Troubles de l'appareil reproducteur-
www.P65Warnings.ca.gov P518-742